AUTHOR INDEX

Buchanan, R. E., 275

Carpenter, K. Patricia, 191
Cato, Elizabeth P., 9
Colwell, R. R., 241
Cummins, Cecil S., 273

Ellis, Madonna A., 231
Ewing, W. H., 263

Fife, M. A., 263

Gottlieb, David, 19, 69, 279

Haynes, William C., 15
Holdeman, Lillian V., 9, 273
Hugh, Rudolph, 207, 231

Lechevalier, Hubert A., 203
Le Minor, L., 197
Lessel, Erwin F., 49

Moore, W. E. C., 9, 273

Page, L. A., 51

Quigley, M. M., 241

Reese, Robert, 207
Rude, Wliiadene S., 33

Schleiber, E., 21
Schubert, Ralph H. W., 1, 21
Seeliger, H. P. R., 21
Shirling, Elwood B., 69, 279
Slack, John M., 253

Webster, Charles, 33

Zierdt, Charles H., 33

SUBJECT INDEX

Achromobacter
- anitratum, 207, 222
- conjunctivae, 207, 208, 222
- haemolyticus, 208, 222, 223
- mucosus, 28, 207, 208, 218, 220

Acinetobacter, 21, 223
- anitratum, 26
- stenohalis, 26

Actinomyces
- acrimycini, 74, 80
- albovinaceus, 82
- atroolivaceus, 84
- aurantiogriseus, 297, 298
- aureoverticillatus, 86
- badius, 87
- bicolor, 79, 89
- biverticillatus, 300, 301
- bovis, 255
- cacaoi, 90
- californicus, 93
- candidus, 303, 304
- chromofuscus, 307, 310
- citreofluorescens, 311, 313
- coeruleofuscus, 98
- coeruleorubidus, 312, 313

Actinomyces (cont.)
- coerulescens, 100
- cremeus, 102
- cyaneofuscatus, 104
- cyanoalbus, 314, 315
- daghestanicus, 104
- discolifoliatus, 255
- eriksonii, 255
- exfoliatus, 108
- finlayi, 317, 318
- flavotricini, 114
- flavovirens, 114
- flavoviridis, 118
- fluorescens, 138, 320
- fradiae, 118
- fradii, 118
- fulvoviridis, 321, 322
- glaucescens, 120
- globisporus, 324, 325
- griseobruneus, 120
- griseoincarnatus, 328, 329
- griseolus, 122
- griseomycini, 124
- griseorubens, 126
- griseoruber, 330, 331

Actinomyces (cont.)
griseostramineus, 126
halstedii, 128
israelii, 40
janthinus, 337, 338
kurssanovii, 134
lateritius, 136
lavendocolor, 339, 340
lavendofoliae, 339, 340
lavendulae, 138
levoris, 341, 343
lipmanii, 140
limocidini, 140
longisporus, 342, 345
longisporus-flavus, 342, 345
luridus, 142
malachiticus, 144
mutabilis, 148
naeslundii, 255
nigrescens, 353, 354
odontolyticus, 255
parbifidus, 255
propionicus, 255
pseudolavendulae, 262
pseudovenezuelae, 362, 363
roseofulvus, 165
roseolilacinus, 167
roseolus, 167
roseus, 168
roseoviridis, 372, 373
rubiginosohelvolus, 372, 373
rubiginosus, 374, 375
rutgersensis, 170
sensu, 73
streptomycini, 378, 379
toxytricini, 174
variabilis, 176
violaceus, 176
violascens, 380, 381
viscosus, 255
Actinomycetales, 203
Aerobacter
aerogenes, 265, 266
liquefaciens, 1
Aeromonas, 1, 2, 3
hydrophila, 4, 6
liquefaciens, 3, 5, 6
punctata, 1, 3, 5, 6
salmonicida, 3, 4, 6
Albococcus epidermidis, 231
Alcaligenes hemolysans, 217, 218
Arizona, 193
Arthrobacter sp., 39

Bacillus
asiaticus, 263
liquefaciens, 222
paratyphi alvei, 264
Bacterium
anitratum, 21, 22, 23, 24, 26, 207, 208, 209, 215, 216, 218, 220, 224
cadaveris, 264, 265

Chlamydia
oculogenitale, 53, 58
psittaci, 51, 53, 54, 60, 61
trachomatis, 51, 53, 54, 56, 60
Chlamydozoon
bovis, 60
columbi, 60
cricetis, 60
felis, 60
hominis, 60
lymphophilus, 58
meningophilus, 60
murinus, 58
oculogenitale, 58
opossumi, 60
osteophilus, 60
Clostridium oroticum, 9, 10
Corynebacterium
acnes, 33, 39, 40, 41, 46
anaerobium 33, 40
avidum, 35
diphteroides, 33
diphtheriae, 29, 41
granulosum, 33, 39
liquefaciens, 33, 35
lymphophilum, 35, 39, 40
parvum, 33
pyrogenes, 33
renali-cuniculi, 35
Cystidium
bronchopneumoniae muris, 58
gonnertianum, 58
Cytophaga, 21, 22
hutchinsonii, 22

Diplococcus, 26
mucosus, 27, 28, 207, 218, 220

Edwardsiella tarda, 194
Ehrlichia
bronchopneumoniae, 58
lymphogranulomatis, 58

Enterobacter
aerogenes, 263, 269
cloacae, 192
hafniae, 263, 269
Enterobacteriaceae, 191, 192, 195
Escherichia, 194
coli, 39
Eubacteriales, 24

Hafnia, 194
alvei, 265
Herellea, 26
vaginicola, 27, 207, 215, 216
221, 224

Klebsiella, 194

Lactobacillaceae, 9
Lingelsheimia, 27
anitrata, 21, 25, 28
Listeria monocytogenes, 39

Micrococcus, 231
cerificans, 224
Micropolispora, 203
brevicatena, 203
cellulosisolvens, 203
disjungens, 203
spiralis, 203
Micropolyspora, 203
Mima, 26
anitratum, 222, 224
polymorpha, 216, 224
Miyagawanella
bovis, 53, 54, 60
bronchopneumoniae, 58
felis, 60
illinii, 60
louisianae, 60
lymphogranulomatosis, 53, 54, 58
opossumi, 60
ornithosis, 53, 54, 60
ovis, 53, 60
pecoris, 53, 54, 60
pneumoniae, 60
psittaci, 53, 54, 60
Moraxella
anitratum, 222
duplex, 25
glycidolytica, 25
lacunata, 25, 223
lwoffi, 25
liquefaciens, 217
non-liquefaciens, 224

Moraxellaceae, 21, 22

Neisseria mucosa, 28, 218
Nocardia
autotrophica, 86
bicolor, 89

Propionibacteriaceae, 9, 10
Propionibacterium, 33, 40, 41, 46
Proteus, 194
Pseudomonas
aeruginosa, 39, 223
bathycetes, 241, 250
fluorescens, 223
lindneri, 22

Ramibacterium pleuriticum, 255
Rickettsia
trachomae, 58
trachomatis, 58
Rickettsiaformis
bovis, 60
columbarum, 60
felis, 60
lymphogranulomatis, 58
meningopneumoniae, 60
muris, 58
opossum, 60
ornithosis, 60
ovis, 60
pneumoniae, 60
Rothia dentocariosa, 255

Salmonella
alvei, 264
anatum, 193, 199
ball, 199
bornum, 199
cerro, 198
choleraesuis, 195, 198
dalat, 199
duisburg, 199
enteritidis, 196
fresno, 197
kingston, 199
newington, 193, 199
paratyphi, 198
siegburg, 197
typhi, 195
wilhelmsburg, 199
Schizomycetes, 25
Serratia, 194

Shigella
boydii, 193
flexneri, 193
Staphylococcus
aureus, 39, 231-237
epidermidis, 39, 231-237
Streptomyces
aburaviensis, 284, 285
acrimycini, 80, 81
achromogenes, 73, 74, 75, 77, 78, 79, 80
aerocolonigenes, 284, 285
afghaniensis, 285, 286
albidofuscus, 286
albirecticuli, 80
albocyaneus, 286, 287
albofaciens, 288
albogriseolus, 289, 291
alboniger, 82
amakusaensis, 290, 291
ambofaciens, 290, 291
aminophilus, 292, 293
antibioticus, 292, 293
antimycoticus, 293, 294
arabicus, 294, 296
argenteolus, 295, 296
atroolivaceus, 84
aureofaciens, 297, 298
aureoverticillatus, 78
azureus, 75, 87
badius, 298, 299
baarnensis, 298, 299
bellus, 299, 301
bicolor, 89
bikiniensis, 300, 301
blastmyceticus, 89
bobili, 302, 303
cacaoi, 77, 90
caelestis, 75, 77, 90, 92
californicus, 74, 78, 93
calvus, 302, 303
canescens, 93
canus, 78, 95, 96
capreolus, 304, 306
catenulae, 305, 306
cellostaticus, 305, 308
chartreusis, 95
chattanoogensis, 97
chibaensis, 307, 308
chrysomallus, 97
cinereoruber, 77, 78, 98, 99
coelicolor, 311, 313
collinus, 100
Streptomyces (cont.)
coralus, 312, 315
cremeus, 102, 103
curacoi, 102, 103
cyaneofuscatus, 104, 105
daghestanicus, 104, 105
echinatus, 106, 107
ehimensis, 314, 315
endus, 316, 317
eurythermus, 106, 107
exfoliatus, 108, 109
fasiculatus, 108, 109
felleus, 110, 111
filamentosus, 110, 111
filipinensis, 316, 317
flaveolus, 74, 112, 113
flavopersicus, 78, 112, 115
flavotricini, 114, 116
flavoviridis, 117, 118
flavovirens, 114, 116
fradiae, 118, 119
fragilis, 319, 320
galbus, 321, 322
gardneri, 323, 325
goshikiensis, 324, 327
griseinus, 326, 327
griseobrunneus, 120, 121
griseocarneum, 122, 123
griseofuscus, 326, 329
griseolus, 122, 123
griseomycini, 124
griseorubens, 126, 127
griseoruber, 19, 20, 330, 331
griseostramineus, 126, 129
griseoviridis, 332, 333
griseus, 332, 333
hachijoensis, 128, 129
halstedii, 128, 131
hawaiiensis, 130, 131
herbicolor, 334, 335
hiroshimense, 130, 132
hirsutus, 134, 159
humidus, 334, 336
indigoferus, 335, 336
kurssanovii, 134, 135
lanatus, 135, 136
lateritius, 136, 137
lavendulae, 137, 138
lilacinus, 341, 343
limosus, 138, 139
lipmanii, 139, 140
litmocidini, 140, 141
luteoverticillatus, 342, 345

Streptomyces (cont.)
luridus, 141, 142
macrosporus, 142, 143
malachiticus, 143, 144
mashuensis, 344, 345
massasporeus, 144, 145
matensis, 344, 347
mediocidicus, 346, 347
melanogenes, 348, 349
michiganensis, 146, 147
minoensis, 146, 147
misakiensis, 348, 349
murinus, 148, 149
mutabilis, 148, 149
naganishii, 350, 351
narbonensis, 150, 151
grifaciens, 150, 151
nitrosporeus, 152, 153
niveus, 152, 155
nodosus, 353, 354
olivaceus, 154, 155
olivoviridis, 355, 356
orientalis, 154, 156
parvullus, 157, 158
phaeochromogenes, 357, 359
phaeopurpureus, 358, 359
phaeoviridis, 358, 361
pilosus, 157, 158
plantensis, 360, 363
pluricolorescens, 158, 159
prasinopilosus, 159, 160
prasinus, 159, 162
pseudogriseolus, 360, 361
puniceus, 161, 162
purpeofuscus, 364, 365
pyridomyceticus, 364, 365
racemochromogenus, 366, 367
ramulosus, 163, 164
recifensis, 163, 164
resistomycificus, 165, 166
rimosus, 367, 368
rochei, 368, 369
roseo-luteus, 370, 371
roseolilacinus, 167
roseolus, 167
roseosporus, 370, 371
roseoverticillatus, 168
roseus, 168, 171
rutgersensis, 170, 171
scabies, 374, 375
sindenensis, 375, 376
sioyaensis, 170, 171
somaliensis, 376, 377
spheroides, 377, 378
spiroverticillatus, 172, 173
tanashiensis, 379, 380
tendae, 172, 173
toxytricini, 174, 175
toyocaensis, 174, 175
variabilis, 176, 177
violaceoruber, 176, 177
virginiae, 178, 179
xanthochromogenus, 178, 181
xanthophaeus, 180, 181
Streptoverticillium, 69, 72, 73
cinnamoneum, 309, 310
kentuchense, 337, 338
netropsis, 350, 352
olivoreticuli, 355, 356
roseoverticillatum, 168, 169

Zymobacterium oroticum, 9
Zymomonas, 2

INTERNATIONAL JOURNAL

OF

SYSTEMATIC BACTERIOLOGY

CONTENTS
VOLUME 18
1968

PUBLISHED QUARTERLY
January April July October

FOR THE INTERNATIONAL ASSOCIATION OF MICROBIOLOGICAL SOCIETIES
WITH ASSISTANCE THROUGH SUBVENTIONS BY THE
UNITED NATIONS EDUCATIONAL, SCIENTIFIC AND CULTURAL ORGANIZATION
AND THE
INTERNATIONAL UNION OF BIOLOGICAL SCIENCES

Iowa State University Press
Press Building, Iowa State University
Ames, Iowa 50010, U.S.A.

QR1
I 598

Volume 18, No. 3, July 1968

CARPENTER, K. PATRICIA
Report and minutes of the meeting of the International Enterobacteriaceae Subcommittee, Moscow 1966. . 191
LE MINOR, L.
Lysogenie et classification des Salmonella. 197
LECHEVALIER, HUBERT A.
Status of the generic names Micropolyspora Lechevalier et al. 1961 and Micropolispora Schchepkina 1940 (Actinomycetales). 203
HUGH, RUDOLPH and ROBERT REESE
A comparison of 120 strains of Bacterium anitratum Schaub and Hauber with the type strain of this species. 207
HUGH, RUDOLPH and MADONNA A. ELLIS
The neotype strain for Staphylococcus epidermidis (Winslow and Winslow 1908) Evans 1916. 231
QUIGLEY, M. M. and R. R. COLWELL
Proposal of a new species Pseudomonas bathycetes. 241
SLACK, JOHN M.
Subgroup on taxonomy of microaerophilic actinomycetes. Report on Organization, Aims and Procedures. 253
EWING, W. H. and M. A. FIFE
Enterobacter hafniae (the "Hafnia Group"). . . . 263
MOORE, W. E. C., LILLIAN V. HOLDEMAN and CECIL S. CUMMINS
Objection: Corynebacterium acnes is not the sole legitimate anaerobic species of Corynebacterium. 273
BUCHANAN, R. E.
New books significant in systematic bacteriology. Reviews of: "Salmonella Species - Erstfunde, Namen und Vorkommen," by E. Kelterhorn; and of "A Guide to the Identification of the Genera of Bacteria with Methods and Digests of Generic Characteristics," by V. B. D. Skerman. 275

Volume 18, No. 4, October 1968

SHIRLING, ELWOOD B. and DAVID GOTTLIEB
Cooperative description of type cultures of Streptomyces. III. Additional species descriptions from first and second studies. 279
Indices. 395

TABLE OF CONTENTS

Volume 18, No. 1, January, 1968

SCHUBERT, RALPH H. W.
The taxonomy and nomenclature of the genus Aeromonas Kluyver and van Niel 1936. Part III. Suggestions on the definition of the genus Aeromonas Kluyver and van Niel 1936. 1
CATO, ELIZABETH P., W. E. C. MOORE and LILLIAN V. HOLDEMAN
Clostridium oroticum comb. nov. amended description. 9
HAYNES, WILLIAM C.
Report of the general activities of the IAMS Advisory Committee on the Allocation of Funds to Culture Collections for the years 1965, 1966 and 1967. . . 15
GOTTLIEB, DAVID
Designation of type strains of 47 species of Actinomyces (Streptomyces). 19
SEELIGER, H. P. R., R. H. W. SCHUBERT and E. SCHLIEBER
Transfer of Bacterium anitratum Schaub and Hauber 1958 to the genus Lingelsheimia gen. nov. 21
ZIERDT, CHARLES H., CHARLES WEBSTER and WILLADENE S. RUDE
Study of the anaerobic corynebacteria. 33
LESSEL, ERWIN F.
On proposing new names and combinations. 49
PAGE, L. A.
Proposal for the recognition of two species in the genus Chlamydia Jones, Rake and Stearns, 1945. . 51
Erratum. 67

Volume 18, No. 2, April 1968

SHIRLING, ELWOOD B. and DAVID GOTTLIEB
Cooperative description of type cultures of Streptomyces. II. Species descriptions from first study. 69